



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

March 21, 2013

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Cristina Griffin, Agent For: KIK Pool Additives, Inc.
Delta Analytical Corporation
12510 Prosperity Drive, Suite 160
Silver Spring, Maryland 20904

SUBJECT: NOTIFICATION OF MINOR LABEL CHANGES PER PR NOTICE 98-10
PRODUCT NAME: **3-Inch Chlorinating Tablets**
EPA REGISTRATION NUMBER: **7616-18**
APPLICATION DATE: March 4, 2013
APPLICATION RECEIVED DATE: March 7, 2013

Dear Ms. Griffin:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA section 3(c) 7(A) and PR Notice 98-10.

Pesticide Application:

KIK Pool Additives, Inc. is submitting the following Minor Label Changes for **Reg. No. 7616-18:**

On Pages Three Through Four:

Adding Minor, Optional Marketing Claims;

On Page Five:

Revise formatting: move the EPA-approved Reader's Note directly underneath the "Directions For Use" heading so that they are easier to find and adding two Reader's Notes within the text to clarify and simplify the Product Label;

On Page Seven:

Add explanatory graphics.

General Comments:

Based on the review of the submitted material, the following comments apply. The Notification application is **Acceptable**. A copy of the **accepted** Notification is attached in **Regulatory File Jacket 7616-18** for future reference.

If you have questions or comments with regard to this Agency Letter, please contact Killian Swift via email at **Swift.Killian@epa.gov** or by telephone at **703-308-6346**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,

Monisha Harris,
EPA Product Manager 32
Regulatory Management Branch II
Antimicrobials Division 7510P



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

NOTIF**Application for Pesticide - Section I**

1. Company/Product Number 7616-18	2. EPA Product Manager Monisha Harris	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) KIK Pool Additives Inc. / 3-Inch Chlorinating Tablets	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) KIK Pool Additives Inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904 <i>Check if this is a new address</i>	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

- ☐ Amendment - Explain below
☐ Resubmission in response to Agency letter dated _____
☒ Notification - Explain below.
- ☐ Final printed labels in response to Agency letter dated _____
☐ "Me Too" Application.
☐ Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification per PR Notice 98-10 to make minor label changes, add graphics and add an Alternate Brand Name.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material this Product will be Packaged in:			
Child-Resistant Packaging <input type="checkbox"/> Yes* For retail <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container	If "Yes," Unit Package wgt. No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container	5. Location of Label Direction <input type="checkbox"/> On Label or: c c c c <input type="checkbox"/> On Labeling accompanying product
6. Manner In Which Label Is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other: c c c c c c c c			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Cristina Griffin	Title Agent for KIK Pool Additives Inc.	Telephone No. (Include Area Code) 301-680-7971

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received

(Stamped)

2. Signature 	3. Title Agent for KIK Pool Additives Inc.
4. Typed Name Cristina Griffin	5. Date March 5, 2013

3/10



March 4, 2013

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive, Room S-4900
Arlington VA 22202

Attn: Monisha Harris, PM 32

RE: Notification per PR Notice 98-10 to make minor label changes, add graphics and add an Alternate Brand Name

Product: 3-Inch Chlorinating Tablets
EPA Reg. No.: 7616-18
Company: KIK Pool Additives Inc.

Dear Ms. Harris:

On behalf of KIK Pool Additives Inc., I am submitting a notification per PR Notice 98-10 to make minor label changes, add graphics and add an Alternate Brand Name for the product 3-Inch Chlorinating Tablets, EPA Reg. No. 7616-18.

The Alternate Brand Name is "HDX 99% Multi-Functional 3" Tabs."

We are making the following minor label changes including: (changes are highlighted)

- Addition of label claims
- Formatting: moving the EPA approved reader's note to directly under the "Directions for Use" heading so it's easier to find, and adding a couple of reader's notes within the text to clarify and simplify the label
- Addition of graphics

The following documents are enclosed in support of this notification:

- EPA form 8570-1
- One copy of the revised label (changes are highlighted)

If you have questions, please contact me at 301-680-7971 or cgriffin@delta-ac.com.

Sincerely,

A handwritten signature in black ink, appearing to read "Cristina Griffin", is written over the word "Sincerely,".

Cristina Griffin
Agent for KIK Pool Additives Inc.

Enclosures

cc: Elvia Angulo, KIK Pool Additives Inc.
Justin Lowe, KIK International

4/10



3-INCH CHLORINATING TABLETS

[Adding the following new Alternate Brand Name:]

HDX 99% Multi-Functional 3" Tabs

[Previously Approved Alternate Brand Name:]

Kem-Tek Pool & Spa Care Power 99 3" Chlorinating Tablets

For Control of Algae & Bacteria
Stabilized . Slow Dissolving . For Floaters & Feeders . For Treatment of Black Algae

ACTIVE INGREDIENT:

Trichloro-s-triazinetriene.....99.0%

OTHER INGREDIENTS.....1.0%

Total.....100.0%

[(90% available chlorine or Available Chlorine – 90%)]

KEEP OUT OF REACH OF CHILDREN

DANGER

NOTIFICATION
Date Reviewed: March 21, 2013
Reviewed By: William B. Swift

See back [Side] [Top] panel for [first aid statement and] other precautions
[or SEE [FIRST AID STATEMENT AND] ADDITIONAL PRECAUTIONS ON BACK [Side] [Top] PANEL]

Free Pool Care Advice 1-800-SOS-POOL . www.kem-tek.com

FIRST AID: Call a poison control center [(1-800-222-1222)] or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible. **If swallowed:** Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

[First Aid may be in table form]

Net Wt.: _____

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
KIK Pool Additives Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] [or Marketed Through] Insert additional company name and address]

EPA Reg. No. 7616-18 EPA Est. No. 7616-CA-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

[In accordance with PR notice 95-1, use the following complete Environmental Hazards statement for containers 50 pounds and larger]

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

[For containers smaller than 50 pounds use the following:]

ENVIRONMENTAL HAZARDS


This product is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE CONTAINING GASES. DECOMPOSES AT 460°F to 480°F WITH LIBERATION OF HARMFUL GASES.

IN CASE OF FIRE, if possible isolate container in open air or well ventilated area. Flood with large volume of water. **IN CASE OF CONTAMINATION OR DECOMPOSITION**, do not reseal container.

Multi-Action System That Sanitizes [[&] [And]] Suppresses Algae
 Multi Function [Multi-function] [Multifunction] Formula – Chlorinator & Algaecide
 Multi-Function Pool Care Product - Chlorinator & Algaecide
 Multipurpose Product - Chlorinator & Algaecide
 No Need To Pre-Dissolve [Only For Swimming Pool]
 Open Here
 Oxidizer
 Part B
 Part Of The Simply Smart[er] [Pool Care] [Pool] System
 Removes Organic Waste [[&] [And]] Produces Sparkling Clean Swimming Pool Water
 Restores A Crystal Clarity To Pool Water
 Routine Chlorinator
 Salt System Compatible
 Sanitizer, Algaecide [[&] [And]] Clarifier [Sanitizer, Algaecide, [[&] [And]] Clarifier] [Sanitizer,
 Clarifier [[&] [And]] Algaecide]
 Sanitize[r][s] [Pool Water] [Water]
 Seven Day Tablet
 Simply B
 Simply Smart[er] [Pool Care] [System]
 Slow [Dissolving] [Release]
 Smart[er] B
 Softens Water
 [Special Offer] [Extra] [Bonus] [Buy] [*insert #*] [Free] [Bag(s)] [Pouch(es)] [X lbs of Tablets] [X" Tablet
 Adjustable Dispenser] [of] [*product name or type*] [Inside] [Included]
 Specially Formulated To Resist Crumbling
 Stabilized
 Step [*Insert #*]
 Step 2: Chlorinate
 Step #2 [Step Two] [Chlorine Treatment] [Of The Kem-Tek Pool Care System]
 Step B
 Swimming Pool Sanitizer
 Time Release Formula [For Long Lasting Results]
 UV [Protected] [Resistant]
 Value Pack
 Week-Long Chlorination
 Wipes Out Algae
 With Built-In Clarifier, [Filter Enhancer], [Water Conditioner] [[&] [And]] [Algae Preventative]



DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.


[Reader's Note: Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate.]

KEM-TEK 3-INCH CHLORINATING TABLETS are slow dissolving, concentrated tablets for use in erosion type feeders.

1. Remove everything from feeder and rinse thoroughly with fresh water. Never mix KEM-TEK 3-INCH CHLORINATING TABLETS with any other sticks, tablets or any other chemicals.
2. Fill the feeder with tablets.
3. Adjust the feed rate so as to maintain a chlorine residual of 1.0–1.5 ppm.
4. Check the pH of the pool water daily, adding [KEM-TEK pH MINUS or pH PLUS] or equivalent products as necessary to maintain pH in 7.2–7.6 range.
5. If the pool is not stabilized with [KEM-TEK STABILIZER CONDITIONER] or equivalent, add stabilizer to a concentration of 30 ppm. Consult the label on [KEM-TEK STABILIZER CONDITIONER] or equivalent product for exact instructions.

POOL STARTUP AND HEAVY BATHER LOAD: At the start of the swimming season, in filled pools, upon filling a pool, and after heavy swimmer load, super-chlorination (shocking) is necessary. Super-chlorination is the addition of two or three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. The end result is the establishment of a chlorine residual of 1.0–1.5 ppm. A liquid or granular chlorinating agent, [including *[name of appropriate product]*] which will dissolve rapidly, must be used for super-chlorination. Consult the labels [on *[name of appropriate product]*] for super-chlorination instructions. Do not use pool during super-chlorination until the chlorine residual is less than 3.0 ppm.

[Required on all labels] Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.



[The following are to be used with different alternate brand names and are different forms of the same product:]

USE OF THE FLOATING CHLORINATOR

Do not use in spas, hot tubs or in water temperatures above 90°F.

1. To use this container, cut off the two large knobs nearest the cap (at opposite sides). Locate and remove the small knob which corresponds to the pool capacity in gallons (Fig. 1). Holding the FLOATING CHLORINATOR neck down, shake lightly to level contents. FLOATING CHLORINATOR CONTAINS 1" CHLORINATING TABLETS (slow dissolving stabilized and highly concentrated).
2. Place FLOATING CHLORINATOR into the pool water neck down (Fig. 2). Monitor chlorine feed setting using a reliable test kit: chlorine residual should read from 1 to 1.5 ppm. To increase chlorine residual, cut off the small knob for the next higher pool capacity. As part of routine maintenance, superchlorinate regularly using a[n] [unstabilized] chlorine product [such as [name of appropriate product]]. Adjust pH as needed with [KEM-TEK pH MINUS or pH PLUS] keeping it between a 7.2 to 7.6 reading. To minimize chlorine consumption, add [KEM-TEK STABILIZER CONDITIONER] as needed to give a concentration of 30 ppm. Follow the instructions provided on these labels.
3. FLOATING CHLORINATOR tilts when empty.

GRANULAR ALGAECIDE (BLACK ALGAE TREATMENT)

GRANULAR ALGAECIDE is a potent algaecide, which is effective against all algae when used as directed. It is especially effective against so-called "black" algae, which appears as spots on the walls and bottom of pools.

1. Check pH of water. Adjust pH (if necessary) to 7.2-7.6 using a reliable test kit and soda ash or dry pool acid.
2. Similarly, check available chlorine and adjust (if necessary) to a residual of 1.0 to 1.5ppm using GRANULAR ALGAECIDE dry or liquid chlorinating product.
3. Place one tablespoon of GRANULAR ALGAECIDE directly on the black spots (if on the pool bottom). If the spots are on the pool walls, place a tablespoon of GRANULAR ALGAECIDE on a 6" square cloth, tie and hang from the edge of the pool by the spot.
4. Wait 24 to 36 hours. Brush spots off with a wire algae brush and repeat steps 1 through 3 until algae free.


NOTE: Do not allow [direct] contact of this product on the following pool surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color out.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container in open area if possible, and flood with large amounts of water. CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. IF EMPTY: Place in trash [collection] or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

[Optional Graphics]



Kills
Algae &
Bacteria




For Floaters
& Feeders






Slow
Dissolving



UV
Protected



Salt System
Compatible




▲ NOTICE

▲ AVISO

Children can fall into bucket and drown. Keep children away from bucket with even a small amount of liquid.

Los niños pueden caerse a esta cubo y ahogarse. No deja que los niños se acerquen a este cubo aunque sólo contenga una pequeña cantidad de líquido.



Built-in
Clarifier

